

MINESWEEPERS
"ALGERINE" CLASS

ACUTE		220 Volts
1. Main Office	50MR. TBS. 86M. CAA. CDC/2. DQB.	TA. TC. FM7. GE.
2. Aerial Outfits	AOF. APU. AFH.	
3. Miscellaneous		

ALBACORE		220 Volts
1. Main Office	50MR. 86m. TBS. CBB. CDC/2. CDF. FM7. DQB. GE.	TA. TC. TF.
2. Aerial Outfits	AOF. APH. APU.	
3. Miscellaneous	67/2. TBY.	

BRAMBLE		220 Volts
1. Main Office	89P. 60EQR. TBS-6. 86M. TCS(F). CDC/2. CDF. FM12. DTC. DWE. BBq. EG. GN. GR.	TA. TC.
2. Aerial Outfits	AOF. APH. APU.	
3. Miscellaneous	67/2. DAS-2. TEB. TON. OF.	

BRAVE		220 Volts
1. Main Office	50MR. 60EMR. 86M. TBS-7. CBB. CDC/2. CDF. FM7. DQB. EG. GE. GR.	TA. TC.
2. Aerial Outfits	AOF. ARD.	
3. Miscellaneous		

CADMUS		220 Volts
1. Main Office	50MR. 86M. CAB. CBB. CDC. DQB.	TA. TC. FM7. GE.
2. Aerial Outfits	AOF. ARD.	
3. Miscellaneous	67/2.	

CHAMELEON

220 Volts

1. Main Office	89M. 60EQR. TBS-4. 86M. CBB. CDC/2. CDF. DTC.	TA. TC. FM12. EG. GN.
2. Aerial Outfits	AOF. APH. ARD mod.	
3. Miscellaneous	67/2	

CHEERFUL

220 Volts

1. Main Office	89M. 60EQR. TBS-4. 86M. CBB. CDC/2. CDF. DTC. BBq.	TA. TC. FM12. EG. GE.
2. Aerial Outfits	AOF. APH. APU. ACE.	
3. Miscellaneous	67/2. QH3	

~~CIRCE~~~~220 Volts~~

1. Main Office	50MR. 4TA. 86M. CBB. CDC. CDF. DQB.	TA. TC. FM7. GE. GR.
2. Aerial Outfits	AOF. ARD.	
3. Miscellaneous	67/2. TBY.	

COCKATRICE

220 Volts

1. Main Office	50MR. TBS. 86M. TCS. CBB. CDC/2. CDF. DQB.	TA. TC. FM7. EE. GE.
2. Aerial Outfits	AOF. APH. APU. ACE.	
3. Miscellaneous	67/2. QH2.	

COQUETTE

220 Volts

1. Main Office	PV500HM. TM11. TBS-4. 86M. AR88/2. TE149. TE236B. FM12.
2. Aerial Outfits	AOF. APU. APH. ACE.
3. Miscellaneous	TBY. QH2.

COURIER

220 Volts

1. Main Office	PV500HM. TM11. TBS-5. 86M. AR88/2. TE236B. FM12. CMC110-837.	BATM. 8/86.
2. Aerial Outfits	AOF. APH. APU.	
3. Miscellaneous	TBY/5. DAS-2. OF.	

ESPIEGLE

220 Volts

1. Main Office	50MR. 86M. CAA. CBB. CDC/2. DQB.	TA. TC. FM7. GE.
2. Aerial Outfits	AOF. ARD.	
3. Miscellaneous	67/2. TBY.	

FANCY

220 Volts

1. Main Office	89M. 4TA. TBS-7. CBB. CDC/2. CDF. DFC.	TA. TC. FM12. GE.
2. Aerial Outfits	AOF. APU.	
3. Miscellaneous		

FIERCE

220 Volts

1. Main Office	89Q. 60EQR. TBS. 86M. CDC/2. CDF. DWB. DTC. BBz. KCM. KCS.	TA. TC. FM12. EG. GN. GR.
2. Aerial Outfits	AOF. APH. APU. ACE.	
3. Miscellaneous	DAS-2. QH2. OF.	

FLY

220 Volts

1. Main Office	50MR. 60EMR. TV5. TBS. 86M. CAA. CBB. CDC/2. DQB.	TA. TC. FM7. GE.
2. Aerial Outfits	AOF. ARD mod.	
3. Miscellaneous	67/2.	

FLYING FISH

220 Volts

1. Main Office	FV500HM. TM11. TBS. 86M. AR88/2. TE236B1. FM12. TE. 149.
2. Aerial Outfits	AOF. ARD. APU.
3. Miscellaneous	

GOLDEN FLEECE

220 Volts

1. Main Office	FV500. TM11. TBS-4. 86M. AR88/2. CDF. FM12. TCS(aft.) TE149.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	

HARE

220 Volts

1. Main Office	89P. 60EQR. TBS-5. 86M. TA. TC. CBB. CDC/2. CDF. FM12. DTC. EG. GE.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	67/2. DAS-2. OF.

HOUND

220 Volts

1. Main Office	50MR. TBS-6. 86M. TA. TC. CBB. CDC/2. CDF. FM7. DQB. EG. GD.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	

JASEUR

220 Volts

1. Main Office	FV500. TM11. TBS-6. 86M. TA. TC. AR88/2. RAK. FM12. TE149
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	DAS-2. OF.

JEWEL		220 Volts
1. Main Office	89P. 6OEQR. TBS-5. 86M. . TA. TC. CBB. CDC/2. CDF. FM12. DTC. BBq. EG. GE. GR.	
2. Aerial Outfits	AOF. APH. APU. ACE.	
3. Miscellaneous	67/2. QH2.	

LAERTES		220 Volts
1. Main Office		
2. Aerial Outfits		
3. Miscellaneous		

LENNOX		220 Volts
1. Main Office	89M. 6OEQR. TBS-6. 86M. TA. TC. AR88. CBB. CDC/2. FM12. RIS(2). DTC. EG. GE.	
2. Aerial Outfits	AOF. APH. APU.	
3. Miscellaneous		

LIBERTY		220 Volts
1. Main Office	89P. 6OEQR. TBS-4. 86M. TA. TC. CBB. CDC/2. CDF. FM12. DTC. EG. GE. GR.	
2. Aerial Outfits	AOF. APH. APU. ACE.	
3. Miscellaneous	67/2. QH3.	

LIONESS		220 Volts
1. Main Office		
2. Aerial Outfits		
3. Miscellaneous		

LYSANDER

220 Volts

1. Main Office	PV500HM. TM11. TBS-4. TA. TC. AR88/2. TE236B. FM12. TE149
2. Aerial Outfits	AOF. APU.
3. Miscellaneous	

MAENAD

220 Volts

1. Main Office	PV500HM. TM11. TBS-6. TA. TC. AR88/2. TE236B. FM12. TE149
2. Aerial Outfits	AOF. APU. ACE.
3. Miscellaneous	QH2

MAGICIENNE

220 Volts

1. Main Office	PV500HM. TM11. TBS-6. 86M. AR88/2. TE236B. FM12. GN. GR. TE149.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	

MAMELUKE

220 Volts

1. Main Office	PV500HM. TM11. TBS-6. 86M. AR88/2. TE236B. FM12. TE149.
2. Aerial Outfits	AOF. APH. APU. ACE.
3. Miscellaneous	QH3.

MANDATE

220 Volts

1. Main Office	PV500HM. TM11. TBS-6. 86M. AR88. TE236B. FM12. TE149.
2. Aerial Outfits	AOF. APH. APU. ACE.
3. Miscellaneous	QH3.

MARINER

220 Volts

- | | |
|-------------------|--|
| 1. Main Office | |
| 2. Aerial Outfits | |
| 3. Miscellaneous | |

MARMION

220 Volts

- | | |
|-------------------|--|
| 1. Main Office | |
| 2. Aerial Outfits | |
| 3. Miscellaneous | |

MARVEL

220 Volts

- | | |
|-------------------|--|
| 1. Main Office | |
| 2. Aerial Outfits | |
| 3. Miscellaneous | |

MARY ROSE

220 Volts

- | | |
|-------------------|--|
| 1. Main Office | PV500HM. TM11. TBS-4.
AR88/2. TE236B. FM12.
TE149. |
| 2. Aerial Outfits | AOF. PU. |
| 3. Miscellaneous | |

MELITA

220 Volts

- | | |
|-------------------|---|
| 1. Main Office | PV500HM. TW12EH. TBS. 86M.
RBJ3/2. AR88. FM12.
DQB. |
| 2. Aerial Outfits | AOF. APH. APU. |
| 3. Miscellaneous | 67/2. DAS-2. OF. |

MICHAEL

220 Volts

1. Main Office	FV500HM. TM11. TBS-7. 86M. AR88/2. TE236B. FM12.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	DAS-2. OF.

MOON

220 Volts

1. Main Office	FV500HM. TM11. TBS-5. AR88/2. TE236B. FM12. TE149.
2. Aerial Outfits	AOF. APU.
3. Miscellaneous	

~~MUTINE~~~~220 Volts~~

1. Main Office	50 MR. TBS-4. 86M. TA. TC. CBB. CDC/2. CDF. FM7. DQB. EE. GN.
2. Aerial Outfits	AOF. APH. ARD.
3. Miscellaneous	67/2.

MYRMIDON

220 Volts

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

✓

MYSTIC

220 Volts

1. Main Office	FV500HM. TM11. TBS-7. 86M. TA/2. AR88/2. TE236B. FM12. TE149M.
2. Aerial Outfits	AOF. AH. PPU.
3. Miscellaneous	

NERISSA		220 Volts
1. Main Office	FV500HM, TM11, TBS-7, 86M. AR88/2, TE236B, FM12. TE149.	
2. Aerial Outfits	AOF, APH, APU.	
3. Miscellaneous		

NIGER		220 Volts
1. Main Office	89P, 6OER, TBS, 86M, TA, TC. CDC/2, CDF, FM12. DTC, DWB, BBq, EG, GN, GR, KOM, KCS.	
2. Aerial Outfits	AOF, APH, APU.	
3. Miscellaneous	DAS-2, OF.	

OCTAVIA		220 Volts
1. Main Office	FV500HM, TW12EH, TBS-4. RBJ/2, TE236B, FM12. DQB, 724A.	
2. Aerial Outfits	AOF, APU.	
3. Miscellaneous		

ONYX		220 Volts
1. Main Office	50MR, 6OER, TBS-7, 86M, TA, TC. CBB, CDC/2, CDF, FM7. DQB, EG, GN.	
2. Aerial Outfits	AOF, APH, APU.	
3. Miscellaneous	67/2, TBY.	

ORCADIA		220 Volts
1. Main Office		
2. Aerial Outfits		
3. Miscellaneous		

ORESTES

220 Volts

1. Main Office	50MR. CBB. CDC/2. CDF/2. FM7. DQB. TA. TC. EE. GE.
2. Aerial Outfits	AOF. ACD.
3. Miscellaneous	67/2. TBY. QH2.

OSSORY

220 Volts

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

PICKLE

220 Volts

1. Main Office	89M. 4TA. TBS-4. 86M. CBB. CDC/3. CDF. TA. TC. DTC. FM12. EG. GE.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	DAS-2. OF.

PINCHER

220 Volts

1. Main Office	89M. 4TA. 86M. CBB. CDC/2. CDF. TA. TC. DTC. FM12. EG. GE.
2. Aerial Outfits	AOF. ARD.
3. Miscellaneous	

PLUCKY

220 Volts

1. Main Office	89M. 4TA. TBS-6. 86M. CBB. CDC/2. CDF. AR88. FM12. TA. TC. DTC. EG. GE. GN.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	67/2.

✓

PLUTO

220 Volts

- 1. Main Office
- 2. Aerial Outfits
- 3. Miscellaneous

POLARIS

220 Volts

- 1. Main Office
- 2. Aerial Outfits
- 3. Miscellaneous

PROVIDENCE

220 Volts

- 1. Main Office
- 2. Aerial Outfits
- 3. Miscellaneous

FV500HM. TM11. TBS-4. 86M
AR88/2. TE236B. TE149.

AOF. ARD mod. APH.

PYRRHUS

220 Volts

- 1. Main Office
- 2. Aerial Outfits
- 3. Miscellaneous

RATTLESNAKE

220 Volts

- 1. Main Office
- 2. Aerial Outfits
- 3. Miscellaneous

TBL-12. 6OEQR. TBS-6. 86M. TA. TC.
CAA. CBB. CDC/2. FM7
DRB. EG. GN. GR.

AOF. APH. APU.

READY

220 Volts

1. Main Office	50MR. 86M. TBS-7. TA. TC. CBB. CDC/2. CDF. FM7. DRB. EG. GN.
2. Aerial Outfits	AOF. APH. APU. ACE.
3. Miscellaneous	67/2. TBY. QH2.

RECRUIT

220 Volts

1. Main Office	89M. 4TA. TA. TC. CBB. CDC/2. CDF. FM12. DTC. EG. GE.
2. Aerial Outfits	AOF. AOJ . ACE.
3. Miscellaneous	67/2. QD . QM. QH2.

RIFLEMAN

220 Volts

1. Main Office	89M. 60EMR. TBS-6. 86M. TA. TC. CBB. CDC/2. AR88. FM12. DTC. EG. GE.
2. Aerial Outfits	AOF. APH. APU. ARD.
3. Miscellaneous	67/2.

RINALDO

220 Volts

1. Main Office	50MR. TBS. 86M. TA. TC. CBB. CDC/2. CDF. FM7 DQB. EE.
2. Aerial Outfits	AOF. APH. ARD mod.
4. Miscellaneous	67/2.

ROMOLA

220 Volts

1. Main Office	PV500-HM. PTM11. TBS. TDF6. AR88/2. TE236B. FM12.
2. Aerial Outfits	AOF. APU. ACE.
3. Miscellaneous	QH3.

ROSARIO

220 Volts

1. Main Office	89M. 6OEMR. 86M. CBB. CDC/2. CDF. DTC.	TA. TC. FM7. EE. GE. GN.
2. Aerial Outfits	AOF. APH.	
3. Miscellaneous	TBY-8.	

ROWENA

220 Volts

1. Main Office	89P. 6OEQR. TBS-4. 86M. CBB. CDC/2. CDF. DTC.	TA. TC. FM12. EG. GN.
2. Aerial Outfits	AOF. APH. APU.	
3. Miscellaneous		

SEABEAR

220 Volts

1. Main Office	PV500HM. TM11. TBS-5. 86M. AR88/2. TE236B. FM12. TE149.	
2. Aerial Outfits	AOF. APU. ARD.	
3. Miscellaneous		

SERENE

220 Volts

1. Main Office	PV500HM. TM11. TBS-5. 86M AR88/2. TE236B. FM12. GN. GR.	
2. Aerial Outfits	AOF. APH. APU.	
3. Miscellaneous	DAS-2. OF.	

SKIPJACK

220 Volts

1. Main Office	PV500HM. TW12BH. TBS-4. CDF. CDC/2. TE236B. FM12. TE149.	
2. Aerial Outfits	AOF. APU.	
3. Miscellaneous	66/2	

SPANKER		220 Volts
1. Main Office	89. 4TA. 86M. TBS-4. CBB. CDC/2. CDF. DTC.	TA. TC. FM12. EG. GE.
2. Aerial Outfits	AOF. APH. APU.	
3. Miscellaneous		

STORMCLOUD		220 Volts
1. Main Office	89M. 60EQR. TBS-3. CBB. CDC/2. CDF. DTC.	TA. TC. FM12. EG. GE.
2. Aerial Outfits	AOF. APU.	
3. Miscellaneous	67/2	

SYLVIA		220 Volts
1. Main Office	89M. 60EQR. TBS-5. 86M. CBB. CDC/2. CDF. DTC.	TA. TC. FM12. EG. GE.
2. Aerial Outfits	AOF. APH. APU. ACE.	
3. Miscellaneous	67/2. TBY. QH2.	

TANGANYIKA		220 Volts
1. Main Office	89M. 60EQR. TBS-4. 86M. CBB. CDC/2. CDF. FM12. DTC. BBq. EG. GE.	TA. TC.
2. Aerial Outfits	AOF. APH. APU. ACE. ARD.	
3. Miscellaneous	67/2. QH2. OB/2.	

THISBE		220 Volts
1. Main Office	PV500HM. TW12EH. TBS-5. AR88. CDC. CDF. FM12. 724A.	
2. Aerial Outfits	AOF. APU. ACE.	
3. Miscellaneous	QH2.	

TRUELOVE

220 Volts

1. Main Office	PV500HM. TW12EH. TBS-3. RBJ/2. TE236B. FM12. 724A.
2. Aerial Outfits	AOF. APU.
3. Miscellaneous	

WATERWITCH

220 Volts

1. Main Office	89M. 4TA. 86M. TA. TC. CBB. CDC/2. CDF. FM12. DTC. EG. GE.
2. Aerial Outfits	AOF. ARD.
3. Miscellaneous	TBY.

WAVE

220 Volts

1. Main Office	89P. 60EQR. TBS-5. 86M. TA. TC. CBB. CDC/3. CDF. FM12. DTC. BBq. EG. GE.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	67/2. DAS-2. OF.

WELCOME

220 Volts

1. Main Office	89P. 60EQR. TBS-4. 86M. TA. TC. CBB. CDC/2. CDF. FM12. DTC. BBq. EG. GE. GR.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	

WELFARE

220 Volts

1. Main Office	PV500HM. TW12EH. TBS-5. 86M. RBJ/2. TE236B. FM12. 724A.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	67/2. TBY.